

**HUANSO**



Camera Set with Burglar Alarm “Smart home kits” Suitable for home Accommodation or office space in moderate size. Install the camera in the center and place the sensor at various points.

**Included in the package**

1. 1 PT WIFI Camera
2. 1 Magnetic Door Sensor
3. 1 Smart Socket
4. 2 Remote Control

**Additional accessories within the kit**

1. Nuts and Bolts The camera can be attached to the ceiling or the wall.
2. CCTV Camera And adapter
3. Extender to receive signal From other sensor devices is more accurate and wider. (Should be used when installing different sensors to the CCTV camera.)



**Camera Set with Burglar Alarm “Smart home kits”**

Smart Security WIFI Camera

Alarm and CCTV Intelligent design that is able to record audio. Live and interactive video and infrared motion detection. To protect against intruders and to work with a variety of sensors. To secure your home or your residence efficiently.

Just connect the camera to the Internet, it can start immediately. On both iOS and Android phones The CT868W-SH-5 has the following capabilities:

- Record at High Definition at 1270 × 720 True day / night vision support
- Rotate the camera on the phone. Adjustable left and right 335 degrees tilt 90 degrees (pan / tilt)
- The camera comes equipped with sensors to detect motion in itself.(Built-in PIR Motion Sensor)
- Wi-Fi internet connection
- Mobile and email alerts are available as soon as the sensor is activated. Compatible with Wireless door and window sensors

The embedded motion sensor. (Built in) In camera 1 set Work with the camera immediately.

- Free Application on IOS and Android mobile viewing and alert immediately after installation.
- The camera comes with speakers and a microphone, making the conversation between camera and mobile instantly.(Two-Way audio)
- Camera Dimensions ( 10 X 10.5 X 11 cm.)



### **Door / Window Sensors – Magnetic Door Sensor**

Magnetic sensors for doors and windows A sensor that uses two magnetic contacts to work together. Installed between doors and jambs. Windows or drawers for door opening or isolation of the device. The sensor sends a signal to the camera. To notify through Mobile applications, email and camera rotation to that location. The sensor is powered by a battery CR2032 3V 1 loaf can be used for 10-20 months. (Depends on the quality of the charcoal used. And there are test buttons to test the function of the sensor.)

#### **Main Features**

- Small, stylish design. ( 2.4 X 6 X 0.8 cm.)
- Button for testing and pairing equipment with CCTV.
- Status indicator light (red)
- Battery power warning light on (orange)
- Internal antenna
- Transmission distance of over 50 meters in open space.
- Battery CR2032 3V 1 loaf
- Easy installation using double-sided adhesive tape.



### **Remote Control**

Remote control for camera “Smart Home Kits” Can operate more than 50 meters in open space. Battery CR2030 1 loaf The device is made of plastic and rubber Remote consists of 4 buttons

- Lock key Or protection mode Used to instruct the camera system and the sensor to start. User enters this mode when leaving home or going to sleep.
- Unlock key Or unlock mode Used to instruct the sensor system to stop working. The user enters the home or when to wake up.

- SOS or Help Button. When you press this button The system will send alerts to mobile and email. And there is a voice on the camera “Smart home kits”
- Lightning bolt Or offline mode Used to temporarily shut down Causes the camera to be inactive and can not be opened from both inside and outside.
- Remote size ( 3.2 X 5.7 X 0.5 cm.)



### Smart Socket

- Connected via Bluetooth to the camera “Smart home kits”
- Can be opened – closed Electrical equipment via mobile
- LED indicator Indicates the status of the power-on.
- Use good quality materials for durable use.
- Internal antenna
- socket size ( 6 X 12.5 X 6 cm.)